SDMS US EPA REGION V COLOR-RESOLUTION - 3 IMAGERY INSERT FORM

The following page(s) of this document include color or resolution variations. Unless otherwise noted, these pages are available in monochrome. The original document is available for viewing at the Superfund Records Center.

| SITE NAME | Sauget Area 1 | | |
|------------------------------|---|--|--|
| DOC ID# | 147833 | | |
| DESCRIPTION OF ITEM(S) | Response Letter | | |
| DOCUMENT VARIATION | | | |
| PHASE | PRPENF | | |
| OPERABLE UNITS | | | |
| LOCATION | Box #_1_ Folder #7 Subsection | | |
| PHASE (AR DOCUMENTS ONLY) | Remedial Removal Deletion Docket Original Update # Volumeof | | |
| | COMMENT(S) | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Monsanto

E6 11/27/12 147833

MONSANTO INDUSTRIAL CHEMICALS CO. Sauget, Illinois 82201 Phone: (6(8):271-5835

November 27, 1972

Mr. William C. Child, Regional Supervisor Surveillance Section - Division of Land Pollution Control Illinois Environmental Protection Agency 115a West Main Street Collinsville, Ill. 62234

Dear Mr. Child:

In response to the request you made in your recent visit to the W.G. Krummrich Plant, I have updated the list of material deposited by W.G.K. at its industrial waste desposal site.

The general catagories remain similar to the ones outlined in our August 16, 1968 letter. A detailed listing and quantities is as follows:

1. Still Residues - tars, condensation and decomposition products of doubtful composition, but with some of the primary product remaining.

FROM THE DISTILLATION OF:

APPROX. ANNUAL AMOUNT

| a. | Nitro-Aniline and similar compounds | 94 cu. yds. |
|----|-------------------------------------|---------------|
| b. | Cresol, esters of phenol | 1140 cu. yds. |
| c. | Chlorophenol, Chlorophenol ether | 774 cu. yds. |
| đ. | Chlorobenzol (Tri-tetrachlor) | 13 cu. yds. |
| e. | Aniline dervatives | 208 cu. yds. |
| ſ. | Nitro benzene derivatives | 1190 cu. yds. |
| g. | Chlorinated hydrocarbons | 425 cu. yds. |

- 2. By-products
 - a. Mixed isomers of nitrochlorobenzene 785 cu. yds.
 - b. Mixed isomers of Dichlorophenol 1240 cu. yds.
- 3. Contaminated Acids & Caustic
 - a. Spent sulfuric acid with chlorophenol present 1395 cu. yds.
 - b. Spent caustic soda with chlorophenol present 1760 cu. yds.

()

: C.

C Lo

ا بسيء

Page 2
M.R. Foresman
November 27, 1972

4. Filter Sl
a. Spent
b. Lime
tion
c. Gypst

5. Obsolete
from taki
a. Chlor
b. Labor

6. Miscellan
floor swe

4. Filter Sludges
a. Spent Carbon
b. Lime mud from nitro-aniline production
tion
c. Gypsum
12 cu. yds.
1195 cu. yds.
5600 cu. yds.

5. Obsolete samples and Waste Resulting from taking samples
a. Chlorophenols
b. Laboratory samples
40 cu. yds.

6. Miscellaneous Waste - Spoiled material, floor sweepings, sludge from cleaning equip.

915 cu. yds.

This list represents the types and approximate quantities of materials hauled from our plant during 1972. The quantities will change from year to year according to sales of particular products. Attached for your information is a map of the industrial disposal area showing the location of the five test wells.

Cordially yours,

Cornert I Sakish

M.R. Foresman Senior Engineer -Environmental Control

đm

Attachments

CC: P. Heisler

Monsanto

MONSANTO INDUSTRIAL CHEMICALS CO. Sauget, Illinois 62201 Phone: (618) 271-5835

April 10, 1972

Mayor Paul Sauget Sauget Village Hall Sauget, IL 62201

Dear Paul:

I talked with Gene Lewis, Technical Manager of Edwin Cooper Inc., about the residues being hauled to your Sanitary Landfill. In all probability, the yellow semi-solid waste mentioned in the Illinois Environmental Protection Agency letter of March 30, 1972 was the filter cake from Dept. 270, an oil additive process.

The composition of this filter cake residue is as follows:

50% filter aid - Diatomaceous Earth 50% No. 5 process oil Traces amounts of Alkyl and Aryl sulfides and Sulfonates

M.R. Foresman (D/11)

Enclosure

cc: Harold Baker, Jr.

The transmitted of the professional and the second of the

CO DE PARTY

Stangallman verse November Auguston

Mr. C. W. Klassen Weehnical Secretary State of Illinois Sanitary Water Booke Springfield, Illinois 62706

Dear Mr. Klasson:

In reply to your letter of August V, 1968, I have one relicular information which you need to set up a monutering program for our industrial waste disposal side.

In general we deposit at this save those wastes which would est to the sludge load at the waste treathene plant or would estable in our wastewater and add to the phenol content, C.O.D. or Co.O. of the final effluent. Chemically, they rain into 6 main groups

- 1. Phenols
- 2. Aromatic Mitro Compounds
- 3. Aromatic Amines and Matro Amines (highly colored)
- 4. Undering the aromatic hydrocarbons
- 5. Aromatic and aliphatic Carboxylic acids
- b. Condensation or reaction products of the above

A more detailed list of sources and quantities follows:

1. Still Residues - tars, condensation and decomposition products of doubtful composition but with some of the primary product remaining.

| ה | une | Distillation of: | Approx. | Millite | T W | mou! | |
|---|------------|-----------------------------------|---------|---------|-----|--------|--|
| | a. | Phenol | | 1,020 | Cu. | yćs. | |
| | b. | Chlorophenol . | | 720 | Cu. | yes. | |
| | с. | Nitro-Aniline and similar compoun | ds 3 | 1,700 | Cu. | : Cs . | |
| | Ć. | Colorobenzol (Tri-Tetrachlor) - | | 130 | Cu. | yas. | |
| | c. | Obloro aniline |) | 1,100 | Cu. | yás. | |
| | 1 . | Other aniline derivatives | | 200 | Cu. | yċs. | |
| | | Nitro bendene derivatives | | 100 | Cu. | yćs. | |
| | h. | Aromatic carboxylic acids | | | | | |
| | | (Maleic, Phthalic, etc.) | 1 | ,500 | Cu. | ∵cs. | |
| | 1. | Chlorophenol Ether | | 350 | Cu. | yds. | |
| | | | | | | | |

14 14

| | | •• |
|-----|---|--|
| 2. | By-Products - | • |
| • | a. Mixed isomers of nitrochlorobenzene | 1,700 Cu. yds. ; 3,000 Cu. yds. 730 Cu. yds. |
| | b. Waste Malcic Anhydride c. Waste Chlorobenzenes and Nitro- chlorobenzenes | 130 Cu. yes. |
| | Contaminated Water and Acids - | • |
| 3. | | |
| | a. Water with varying amounts of phenols (0-15%) | 7,200 Cu. yds. |
| | b. Waste Sulfurie seid with chlorophenol present | 1,500 Cu. yas. |
| • . | c. Caustic Soda Solution with chlorophenol present | 5,300 Cu. yás. |
| | | |
| 4 | Waste Solvents - | • |
| • | a. Waste Methanol contaminated with Mercaptans | 600 Cu. yes. |
| | b. Waste Isopropanol - Water and chlorinated hydrocarbon | 5,500 Cu. yds. |
| | c. Research Waste: Miscellaneous Solvenus | 1,019 Cu. yds. |
| | d. Oily Haterials from Oil Additive Production | 101 Cu. yds. |
| 5. | Filter Sludge - | |
| | a. Attapulgus Earth -Keisulguhr from Alkyl Benzene filtration | 600 Cu. yes. |
| | b. Lime Mud from nitro-eniline production. | 1,000 Cu. yas. |
| 6. | Unwanted Samples and Waste resulting from taking samples - | • |
| | a. Chlorophenols b. Laboratory Samples (Everything) | 72 Cu. yés 208 Cu. yás |

Chlorophenols Laboratory Samples (Everything)

August 16, 1968

C U Mr. C. W. Klassen